



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Tennessee

1 of 4

Maui Wowie THC Seltzer

Sample ID: 2606NBL0990.2743

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/05/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID:

Batch#: MS-4142026-1

Client

Legally Highest

Lic. # TNHDC251657

2310 Vance Ave., STE 102 Chattanooga, TN 37404

(973) 513-5075 bryan@legallyhighest.com



Summary

Test	Date Tested	Result
Cannabinoids	06/06/2026	Pass
Residual Solvents	06/15/2026	Pass
Microbials	06/12/2026	Pass
Mycotoxins	06/17/2026	Pass
Pesticides	06/17/2026	Pass
Heavy Metals	06/17/2026	Pass

Cannabinoids

Pass

4.412 mg/unit

Total THC

0.002%

Compliance Result

ND

Total CBD

4.412 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	MU
	mg/unit	mg/unit	mg/unit	mg/mL	%	mg/mL
(6aR,9R)-d10-THC	0.5994	0.899	ND	ND	ND	±0
9R-HHC	0.5994	0.899	ND	ND	ND	±0
(6aR,9S)-d10-THC	0.5994	0.899	ND	ND	ND	±0
9S-HHC	0.5994	0.899	ND	ND	ND	±0
CBC	0.5994	0.899	ND	ND	ND	±0
CBCa	0.5994	0.899	ND	ND	ND	±0
CBD	0.5994	0.899	ND	ND	ND	±0
CBDa	0.5994	0.899	ND	ND	ND	±0
CBDV	0.5994	0.899	ND	ND	ND	±0
CBDVa	0.5994	0.899	ND	ND	ND	±0
CBG	0.5994	0.899	ND	ND	ND	±0
CBGa	0.5994	0.899	ND	ND	ND	±0
CBN	0.5994	0.899	ND	ND	ND	±0
CBNa	0.5994	0.899	ND	ND	ND	±0
Δ8-THC	0.5994	0.899	ND	ND	ND	±0
Δ9-THC	0.5994	0.899	4.412	0.01869	0.002	±0.001
THCa	0.5994	0.899	ND	ND	ND	±0
THCp	0.5994	0.899	ND	ND	ND	±0
THCV	0.5994	0.899	ND	ND	ND	±0
THCVa	0.5994	0.899	ND	ND	ND	±0
Total THC			4.412	0.01869	0.002	
Total CBD			ND	ND	ND	
Total			4.412	0.01869	0.002	

Date Tested: 06/06/2026

Density: 1 mL = 1.016 g, Unit Mass: 239.776 g, 1 Unit = 8 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Tennessee

2 of 4

Maui Wowie THC Seltzer

Sample ID: 2606NBL0990.2743

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/05/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID:

Batch#: MS-4142026-1

Client

Legally Highest

Lic. # TNHDC251657

2310 Vance Ave., STE 102 Chattanooga, TN 37404

(973) 513-5075 bryan@legallyhighest.com

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	MU	Status	Analyte	LOQ	LOD	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030	0.500	ND	±0	Pass	Hexythiazox	0.099	0.030	1.000	ND	±0	Pass
Acephate	0.099	0.030	0.400	ND	±0	Pass	Imazalil	0.099	0.030	0.200	ND	±0	Pass
Acequinocyl	0.099	0.030	2.000	ND	±0	Pass	Imidacloprid	0.099	0.030	0.400	ND	±0	Pass
Acetamiprid	0.099	0.030	0.200	ND	±0	Pass	Kresoxim	0.099	0.030	0.400	ND	±0	Pass
Aldicarb	0.099	0.030	0.400	ND	±0	Pass	Methyl						
Azoxystrobin	0.099	0.030	0.200	ND	±0	Pass	Malathion	0.099	0.030	0.200	ND	±0	Pass
Bifenazate	0.099	0.030	0.200	ND	±0	Pass	Metalaxyl	0.099	0.030	0.200	ND	±0	Pass
Bifenthrin	0.099	0.030	0.200	ND	±0	Pass	Methiocarb	0.099	0.030	0.200	ND	±0	Pass
Boscalid	0.099	0.030	0.200	ND	±0	Pass	Methomyl	0.099	0.030	0.400	ND	±0	Pass
Carbaryl	0.099	0.030	0.400	ND	±0	Pass	Myclobutanil	0.099	0.030	0.200	ND	±0	Pass
Carbofuran	0.099	0.030	0.200	ND	±0	Pass	Naled	0.248	0.075	0.500	ND	±0	Pass
Chlorantraniliprole	0.099	0.030	0.200	ND	±0	Pass	Oxamyl	0.099	0.030	1.000	ND	±0	Pass
Chlorfenapyr	0.079	0.024	1.000	ND	±0	Pass	Paclobutrazol	0.099	0.030	0.400	ND	±0	Pass
Chlormequat	0.099	0.030	0.200	ND	±0	Pass	Methyl						
Chlorpyrifos	0.099	0.030	0.200	ND	±0	Pass	Parathion	0.079	0.024	0.200	ND	±0	Pass
Clofentezine	0.099	0.030	0.200	ND	±0	Pass	Permethrins	0.099	0.030	0.200	ND	±0	Pass
Cyfluthrin	0.079	0.024	1.000	ND	±0	Pass	Phosmet	0.099	0.030	0.200	ND	±0	Pass
Cypermethrin	0.079	0.024	1.000	ND	±0	Pass	Piperonyl	0.099	0.030	2.000	ND	±0	Pass
Daminozide	0.099	0.030	1.000	ND	±0	Pass	Butoxide						
Diazinon	0.099	0.030	0.200	ND	±0	Pass	Prallethrin	0.099	0.030	0.200	ND	±0	Pass
Dichlorvos	0.050	0.016	0.100	ND	±0	Pass	Propiconazole	0.099	0.030	0.400	ND	±0	Pass
Dimethoate	0.099	0.030	0.200	ND	±0	Pass	Propoxur	0.099	0.030	0.200	ND	±0	Pass
Ethoprophos	0.099	0.030	0.200	ND	±0	Pass	Pyrethrins	0.495	0.149	1.000	ND	±0	Pass
Etofenprox	0.099	0.030	0.400	ND	±0	Pass	Pyridaben	0.099	0.030	0.200	ND	±0	Pass
Etoxazole	0.099	0.030	0.200	ND	±0	Pass	Spinosad	0.101	0.030	0.200	ND	±0	Pass
Fenoxycarb	0.099	0.030	0.400	ND	±0	Pass	Spiromesifen	0.099	0.030	0.200	ND	±0	Pass
Fenpyroximate	0.099	0.030	0.400	ND	±0	Pass	Spirotetramat	0.099	0.030	0.200	ND	±0	Pass
Fipronil	0.099	0.030	0.400	ND	±0	Pass	Spiroxamine	0.099	0.030	0.400	ND	±0	Pass
Flonicamid	0.099	0.030	1.000	ND	±0	Pass	Tebuconazole	0.099	0.030	0.400	ND	±0	Pass
Fludioxonil	0.099	0.030	0.400	ND	±0	Pass	Thiacloprid	0.099	0.030	0.200	ND	±0	Pass
							Thiamethoxam	0.099	0.030	0.200	ND	±0	Pass
							Trifloxystrobin	0.099	0.030	0.200	ND	±0	Pass

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloombllabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Tennessee

3 of 4

Maui Wowie THC Seltzer

Sample ID: 2606NBL0990.2743

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/05/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID:

Batch#: MS-4142026-1

Client

Legally Highest

Lic. # TNHDC251657

2310 Vance Ave., STE 102 Chattanooga, TN 37404

(973) 513-5075 bryan@legallyhighest.com

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Salmonella	1.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Pass
Yeast & Mold	9	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 06/12/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPB	PPB	PPB	PPB	PPM	
B1	2	5		ND	±0	Tested
B2	2	5		ND	±0	Tested
G1	2	5		ND	±0	Tested
G2	2	5		ND	±0	Tested
Total Aflatoxins	2	5	20	ND	±0	Pass
Ochratoxin A	6	20	20	ND	±0	Pass

Date Tested: 06/17/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096	0.200	ND	±0	Pass
Cadmium	0.048	0.096	0.200	ND	±0	Pass
Lead	0.048	0.096	0.500	ND	±0	Pass
Mercury	0.048	0.096	0.100	ND	±0	Pass

Date Tested: 06/17/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Regulatory Compliance Testing - Tennessee

4 of 4

Maui Wowie THC Seltzer

Sample ID: 2606NBL0990.2743

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 06/05/2026

Completed: 06/18/2026

Expires: 06/18/2027

External Lot ID:

Batch#: MS-4142026-1

Client

Legally Highest

Lic. # TNHDC251657

2310 Vance Ave., STE 102 Chattanooga, TN 37404

(973) 513-5075 bryan@legallyhighest.com

Residual Solvents

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Acetone	55.147	183.824	1000.000	ND	±0	Pass
Benzene	0.221	0.735	2.000	ND	±0	Pass
n-Butane	50.735	169.118		ND	±0	Tested
Isobutane	50.735	169.118		ND	±0	Tested
Butanes			1000.000	ND	±0	Pass
Ethanol	55.147	183.824	5000.000	<LOQ	±0	Pass
Ethyl Acetate	55.147	183.824	1000.000	ND	±0	Pass
Heptane	55.147	183.824	1000.000	ND	±0	Pass
n-Hexane	1.103	3.676		ND	±0	Tested
2,2-Dimethylbutane	1.103	3.676		ND	±0	Tested
3-Methylpentane	1.103	3.676		ND	±0	Tested
2-Methylpentane/2,3-Dimethylbutane	2.206	7.353		ND	±0	Tested
Hexanes			60.000	ND	±0	Pass
Methanol	22.059	73.529	600.000	ND	±0	Pass
Isopentane	50.735	169.118		ND	±0	Tested
n-Pentane	22.059	73.529		ND	±0	Tested
Neopentane	50.735	169.118		ND	±0	Tested
Pentanes			1000.000	ND	±0	Pass
2-Propanol	55.147	183.824	1000.000	ND	±0	Pass
Propane	220.588	735.294	1000.000	ND	±0	Pass
Toluene	0.110	0.368	180.000	ND	±0	Pass
Ethylbenzene	0.110	0.368		ND	±0	Tested
m/p-Xylene	0.110	0.368		ND	±0	Tested
o-Xylene	0.110	0.368		ND	±0	Tested
Xylenes			430.000	ND	±0	Pass

Date Tested: 06/15/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measured as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.



Ashley N Phillips

Ashley Phillips
Laboratory Director
06/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.