

**Legally Highest**

12620 N. Cave Creek Road  
Phoenix, AZ 85022

(908) 510-0310  
NJ Lic #6502930

**Sample: 2306DEL0671.2859**

Strain: Mango 12 oz  
Lot#: M12-2302; Batch#: M12-070123; Batch Size: g

Sample Received: 06/28/2023; Report Created: 07/14/2023  
Testing Completed: 07/13/2023

M12-070123-2

Ingestible, Beverage  
Reference:



**Microbials**

**Pass**

Analyte	Limit	Results	Status
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus (flavus, fumigatus, niger, and terreus)	Not Detected in 1g	Not Detected in 1g	Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g 100	CFU/g < 10 CFU/g	Pass



Date Tested: 06/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



## Legally Highest

12620 N. Cave Creek Road  
Phoenix, AZ 85022

(908) 510-0310  
NJ Lic #6502930

## Sample: 2306DEL0671.2859

Strain: Mango 12 oz  
Lot#: M12-2302; Batch#: M12-070123; Batch Size: g

Sample Received: 06/28/2023; Report Created: 07/14/2023  
Testing Completed: 07/13/2023

M12-070123-2

Ingestible, Beverage  
Reference:



## Pesticides

Pass

Analyte	LOQ	Limit	Units	Qualifiers	Status	Analyte	LOQ	Limit	Units	Qualifiers	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.01	0.50	ND		Pass	Fludioxonil	0.01	0.40	ND	M2	Pass
Acephate	0.01	0.40	ND		Pass	Hexythiazox	0.03	1.00	ND	M2	Pass
Acequinocyl	0.05	2.00	ND	L1 R1 M2 V1	Pass	Imazalil	0.01	0.20	ND		Pass
Acetamiprid	0.01	0.20	ND		Pass	Imidacloprid	0.01	0.40	ND		Pass
Aldicarb	0.01	0.40	ND	V1	Pass	Kresoxim Methyl	0.01	0.40	ND	M2	Pass
Azoxystrobin	0.01	0.20	ND		Pass	Malathion	0.01	0.20	ND		Pass
Bifenazate	0.01	0.20	ND		Pass	Metalaxyl	0.01	0.20	ND	M2	Pass
Bifenthrin	0.01	0.20	ND		Pass	Methiocarb	0.01	0.20	ND		Pass
Boscalid	0.01	0.40	ND		Pass	Methomyl	0.01	0.40	ND	V1	Pass
Carbaryl	0.01	0.20	ND		Pass	Myclobutanil	0.01	0.20	ND		Pass
Carbofuran	0.01	0.20	ND		Pass	Naled	0.01	0.50	ND	R1	Pass
Chlorantraniliprole	0.01	0.20	ND		Pass	Oxamyl	0.03	1.00	ND	V1	Pass
Chlorfenapyr	0.03	1.00	ND	M2	Pass	Paclobutrazol	0.01	0.40	ND		Pass
Chlorpyrifos	0.01	0.20	ND	M2 V1	Pass	Permethrins (cis- and trans-isomers)	0.01	0.20	ND	M2	Pass
Clofentezine	0.01	0.20	ND		Pass	Phosmet	0.01	0.20	ND	M2	Pass
Cyfluthrin	0.03	1.00	ND	M2	Pass	Piperonyl Butoxide	0.05	2.00	ND		Pass
Cypermethrin	0.03	1.00	ND	M2	Pass	Prallethrin	0.01	0.20	ND	M2	Pass
Daminozide	0.03	1.00	ND	M2	Pass	Propiconazole	0.01	0.40	ND	M2	Pass
DDVP	0.00	0.10	ND		Pass	Propoxur	0.01	0.20	ND		Pass
Diazinon	0.01	0.20	ND		Pass	Pyridaben	0.01	0.20	ND		Pass
Dimethoate	0.01	0.20	ND		Pass	Spinosad (A and D)	0.01	0.20	ND		Pass
Ethoprophos	0.01	0.20	ND		Pass	Spiromesifen	0.01	0.20	ND		Pass
Etofenprox	0.01	0.40	ND		Pass	Spirotetramat	0.01	0.20	ND	R1 M2 V1	Pass
Etoxazole	0.01	0.20	ND		Pass	Spiroxamine	0.01	0.40	ND	M2	Pass
Fenoxycarb	0.01	0.20	ND		Pass	Tebuconazole	0.01	0.40	ND		Pass
Fenpyroximate	0.01	0.40	ND	M2	Pass	Thiacloprid	0.01	0.20	ND		Pass
Fipronil	0.01	0.40	ND		Pass	Thiamethoxam	0.01	0.20	ND		Pass
Fonicamid	0.03	1.00	ND		Pass	Trifloxystrobin	0.01	0.20	ND		Pass

## Herbicides

Not Tested

Analyte	LOQ	Limit	Units	Qualifiers	Status
---------	-----	-------	-------	------------	--------

Qualifiers: L1 R1 M2 V1

Date Tested: 06/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

**Legally Highest**

12620 N. Cave Creek Road  
Phoenix, AZ 85022

(908) 510-0310  
NJ Lic #6502930

**Sample: 2306DEL0671.2859**

Strain: Mango 12 oz  
Lot#: M12-2302; Batch#: M12-070123; Batch Size: g

Sample Received: 06/28/2023; Report Created: 07/14/2023  
Testing Completed: 07/13/2023

M12-070123-2

Ingestible, Beverage  
Reference:



**Residual Solvents**

**Pass**

Analyte	LOQ PPM	Limit PPM	Mass PPM	Qualifiers	Status
Acetone		1000	ND		Pass
Acetonitrile		410	ND		Pass
Benzene		2	ND		Pass
Butanes (n-butane and iso-butane)		5000	ND		Pass
Chloroform		60	ND		Pass
Dichloromethane		600	ND		Pass
Ethanol		5000	ND		Pass
Ethyl Acetate		5000	ND		Pass
Ethyl-Ether		5000	ND		Pass
Heptane		5000	ND		Pass
Hexanes (n-hexane, 2-methylpentane, 3-methylpentane, 2,2-dimethylbutane, and 2,3-dimethylbutane)		290	ND		Pass
Isopropanol		5000	ND		Pass
Isopropyl-Acetate		5000	ND		Pass
Methanol		3000	ND		Pass
Pentanes (n-pentane, iso-pentane, and neo-pentane)		5000	ND		Pass
Propane		5000	ND		Pass
Toluene		890	ND		Pass
Xylenes (1,2-dimethylbenzene, 1,3-dimethylbenzene, 1,4-dimethylbenzene, and ethyl benzene)		2170	ND		Pass

Qualifiers: Analyzed at Desert Valley Testing 00000003LCIN00627986  
Date Tested: 07/13/2023  
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Analyzed at Desert Valley Testing 00000003LCIN00627986), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.  
SOP-135; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



**Legally Highest**

12620 N. Cave Creek Road  
Phoenix, AZ 85022

(908) 510-0310  
NJ Lic #6502930

**Sample: 2306DEL0671.2859**

Strain: Mango 12 oz  
Lot#: M12-2302; Batch#: M12-070123; Batch Size: g

Sample Received: 06/28/2023; Report Created: 07/14/2023  
Testing Completed: 07/13/2023

M12-070123-2

Ingestible, Beverage  
Reference:



**Heavy Metals**

**Pass**

Analyte	LOQ	Limit	Mass	Qualifiers	Status
	PPM	PPM	PPM		
Arsenic	0.20	0.40	ND		Pass
Cadmium	0.20	0.40	ND		Pass
Mercury	0.60	1.20	ND		Pass
Lead	0.50	1.00	ND		Pass

Date Tested: 07/05/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



12620 N. Cave Creek Road Suite 2  
Phoenix, AZ 85022  
(602) 466-9730  
<https://www.deltaverdelabs.com>  
Lic# 0000008LCXF00023166

Raju Kandel  
Technical Lab Director

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



## Legally Highest

12620 N. Cave Creek Road  
Phoenix, AZ 85022

(908) 510-0310  
NJ Lic #6502930

Sample: 2306DEL0671.2859

Strain: Mango 12 oz  
Lot#: M12-2302; Batch#: M12-070123; Batch Size: g

Sample Received: 06/28/2023; Report Created: 07/14/2023  
Testing Completed: 07/13/2023

M12-070123-2

Ingestible, Beverage  
Reference:



## Mycotoxins

Pass

Analyte	LOQ	Limit	Units	Status	Qualifiers
	PPB	PPB	PPB		
B1	0.50		ND	Tested	
B2	0.50		ND	Tested	L1 R1
G1	0.50		ND	Tested	
G2	0.50		ND	Tested	
Ochratoxin A	0.50	20.00	ND	Pass	L1 V1
Total Aflatoxins	0.50	20.00	ND	Pass	L1 R1

Qualifiers: L1 R1 V1

Date Tested: 06/30/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

