

Legally Highest

12620 N Cave Creek Rd
Phoenix, AZ 85022

(908) 510-0310
NJ Lic # 6502930

Sample: 2303DEL0165.0695

Strain: Mango 16 oz

Lot#: M16-2301; Batch#M16-030123-1; Batch Size: -grams

Sample Received: 03/10/2023; Report Created: 03/22/2023
Testing Completed: 03/21/2023

M16-030123-1

Ingestible, Beverage
Reference:



Microbials

Pass

| Analyte | Limit | Results | Status |
|---|--------------------|--------------------|--------|
| Salmonella | Not Detected in 1g | Not Detected in 1g | Pass |
| Aspergillus (flavus, fumigatus, niger, and terreus) | Not Detected in 1g | Not Detected in 1g | Pass |

| Analyte | Limit | Results | Status |
|---------|--------------|---------------------|--------|
| E. Coli | CFU/g 100 | CFU/g < 10 CFU/g | Pass |



Date Tested: 03/13/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

MTD-134, PRD-111; LOQ = Limit of Quantitation; TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



Legally Highest

12620 N Cave Creek Rd
Phoenix, AZ 85022

(908) 510-0310
NJ Lic # 6502930

Sample: 2303DEL0165.0695

Strain: Mango 16 oz

Lot#: M16-2301; Batch#M16-030123-1; Batch Size: -grams

Sample Received: 03/10/2023; Report Created: 03/22/2023
Testing Completed: 03/21/2023

M16-030123-1

Ingestible, Beverage
Reference:



Pesticides

Pass

| Analyte | LOQ | Limit | Units | Qualifiers | Status | Analyte | LOQ | Limit | Units | Qualifiers | Status |
|---------------------|------|-------|-------|------------|--------|---|------|-------|-------|------------|--------|
| | PPM | PPM | PPM | | | | PPM | PPM | PPM | | |
| Abamectin | 0.50 | 0.50 | ND | | Pass | Hexythiazox | 1.00 | 1.00 | ND | L1 R1 | Pass |
| Acephate | 0.40 | 0.40 | ND | | Pass | Imazalil | 0.20 | 0.20 | ND | | Pass |
| Acequinocyl | 2.00 | 2.00 | ND | M2 | Pass | Imidacloprid | 0.40 | 0.40 | ND | L1 | Pass |
| Acetamiprid | 0.20 | 0.20 | ND | L1 V1 | Pass | Kresoxim Methyl | 0.40 | 0.40 | ND | | Pass |
| Aldicarb | 0.40 | 0.40 | ND | | Pass | Malathion | 0.20 | 0.20 | ND | | Pass |
| Azoxystrobin | 0.20 | 0.20 | ND | | Pass | Metalaxyl | 0.20 | 0.20 | ND | | Pass |
| Bifenazate | 0.20 | 0.20 | ND | | Pass | Methiocarb | 0.20 | 0.20 | ND | | Pass |
| Bifenthrin | 0.20 | 0.20 | ND | M2 | Pass | Methomyl | 0.40 | 0.40 | ND | | Pass |
| Boscalid | 0.40 | 0.40 | ND | | Pass | Myclobutanil | 0.20 | 0.20 | ND | | Pass |
| Carbaryl | 0.20 | 0.20 | ND | | Pass | Naled | 0.50 | 0.50 | ND | M2 | Pass |
| Carbofuran | 0.20 | 0.20 | ND | | Pass | Oxamyl | 1.00 | 1.00 | ND | L1 R1 | Pass |
| Chlorantraniliprole | 0.20 | 0.20 | ND | L1 M2 V1 | Pass | Paclobutrazol | 0.40 | 0.40 | ND | | Pass |
| Chlorfenapyr | 1.00 | 1.00 | ND | L1 R1 M2 | Pass | Permethrins (cis- and trans-isomers) | 0.20 | 0.20 | ND | M2 | Pass |
| Chlorpyrifos | 0.20 | 0.20 | ND | | Pass | Phosmet | 0.20 | 0.20 | ND | | Pass |
| Clofentezine | 0.20 | 0.20 | ND | | Pass | Piperonyl Butoxide | 2.00 | 2.00 | ND | | Pass |
| Cyfluthrin | 1.00 | 1.00 | ND | R1 M2 | Pass | Prallethrin | 0.20 | 0.20 | ND | | Pass |
| Cypermethrin | 1.00 | 1.00 | ND | L1 R1 M2 | Pass | Propiconazole | 0.40 | 0.40 | ND | | Pass |
| Daminozide | 1.00 | 1.00 | ND | L1 R1 | Pass | Propoxur | 0.20 | 0.20 | ND | L1 V1 | Pass |
| DDVP | 0.10 | 0.10 | ND | L1 M1 V1 | Pass | Pyrethrins (Pyrethrin I, Cinerin I, and Jasmolin I) | 1.00 | 1.00 | ND | L1 R1 M2 | Pass |
| Diazinon | 0.20 | 0.20 | ND | | Pass | Pyridaben | 0.20 | 0.20 | ND | | Pass |
| Dimethoate | 0.20 | 0.20 | ND | L1 V1 | Pass | Spinosad (A and D) | 0.20 | 0.20 | ND | | Pass |
| Ethoprophos | 0.20 | 0.20 | ND | | Pass | Spiromesifen | 0.20 | 0.20 | ND | | Pass |
| Etofenprox | 0.40 | 0.40 | ND | M2 | Pass | Spirotetramat | 0.20 | 0.20 | ND | | Pass |
| Etoxazole | 0.20 | 0.20 | ND | | Pass | Spiroxamine | 0.40 | 0.40 | ND | | Pass |
| Fenoxycarb | 0.20 | 0.20 | ND | | Pass | Tebuconazole | 0.40 | 0.40 | ND | | Pass |
| Fenpyroximate | 0.40 | 0.40 | ND | | Pass | Thiacloprid | 0.20 | 0.20 | ND | L1 | Pass |
| Fipronil | 0.40 | 0.40 | ND | | Pass | Thiamethoxam | 0.20 | 0.20 | ND | L1 | Pass |
| Fonicamid | 1.00 | 1.00 | ND | L1 R1 | Pass | Trifloxystrobin | 0.20 | 0.20 | ND | | Pass |
| Fludioxonil | 0.40 | 0.40 | ND | L1 R1 | Pass | | | | | | |

Herbicides

Not Tested

| Analyte | LOQ | Limit | Units | Qualifiers | Status |
|---------|-----|-------|-------|------------|--------|
|---------|-----|-------|-------|------------|--------|

Qualifiers: L1 R1 M1 M2 V1

Date Tested: 03/13/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Legally Highest

12620 N Cave Creek Rd
Phoenix, AZ 85022

(908) 510-0310
NJ Lic # 6502930

Sample: 2303DEL0165.0695

Strain: Mango 16 oz
Lot#: M16-2301; Batch#M16-030123-1; Batch Size: -grams

Sample Received: 03/10/2023; Report Created: 03/22/2023
Testing Completed: 03/21/2023

M16-030123-1

Ingestible, Beverage
Reference:



Residual Solvents

Pass

| Analyte | LOQ PPM | Limit PPM | Mass PPM | Qualifiers | Status |
|--|------------|--------------|-------------|------------|--------|
| Acetone | | 1000 | ND | | Pass |
| Acetonitrile | | 410 | ND | | Pass |
| Benzene | | 2 | ND | | Pass |
| Butanes (n-butane and iso-butane) | | 5000 | ND | | Pass |
| Chloroform | | 60 | ND | | Pass |
| Dichloromethane | | 600 | ND | | Pass |
| Ethanol | | 5000 | ND | | Pass |
| Ethyl Acetate | | 5000 | ND | | Pass |
| Ethyl-Ether | | 5000 | ND | | Pass |
| Heptane | | 5000 | ND | | Pass |
| Hexanes (n-hexane, 2-methylpentane, 3-methylpentane, 2,2-dimethylbutane, and 2,3-dimethylbutane) | | 290 | ND | | Pass |
| Isopropanol | | 5000 | ND | | Pass |
| Isopropyl-Acetate | | 5000 | ND | | Pass |
| Methanol | | 3000 | ND | | Pass |
| Pentanes (n-pentane, iso-pentane, and neo-pentane) | | 5000 | ND | | Pass |
| Propane | | 5000 | ND | | Pass |
| Toluene | | 890 | ND | | Pass |
| Xylenes (1,2-dimethylbenzene, 1,3-dimethylbenzene, 1,4-dimethylbenzene, and ethyl benzene) | | 2170 | ND | | Pass |

Qualifiers: Analyzed at Desert Valley Testing 00000003LCIN00627986
Date Tested: 03/21/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (Analyzed at Desert Valley Testing 00000003LCIN00627986), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
SOP-135; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.



Legally Highest

12620 N Cave Creek Rd
Phoenix, AZ 85022

(908) 510-0310
NJ Lic # 6502930

Sample: 2303DEL0165.0695

Strain: Mango 16 oz

Lot#: M16-2301; Batch#M16-030123-1; Batch Size: -grams

Sample Received: 03/10/2023; Report Created: 03/22/2023
Testing Completed: 03/21/2023

M16-030123-1

Ingestible, Beverage
Reference:



Heavy Metals

Pass

| Analyte | LOQ | Limit | Mass | Qualifiers | Status |
|---------|------|-------|------|------------|--------|
| | PPM | PPM | PPM | | |
| Arsenic | 0.20 | 0.40 | ND | | Pass |
| Cadmium | 0.20 | 0.40 | ND | | Pass |
| Mercury | 0.60 | 1.20 | ND | | Pass |
| Lead | 0.50 | 1.00 | ND | | Pass |

Qualifiers: NA
Date Tested: 03/17/2023
Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (NA), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

Legally Highest

12620 N Cave Creek Rd
Phoenix, AZ 85022

(908) 510-0310
NJ Lic # 6502930

Sample: 2303DEL0165.0695

Strain: Mango 16 oz

Lot#: M16-2301; Batch#M16-030123-1; Batch Size: -grams

Sample Received: 03/10/2023; Report Created: 03/22/2023
Testing Completed: 03/21/2023

M16-030123-1

Ingestible, Beverage
Reference:



Mycotoxins

Pass

| Analyte | LOQ | Limit | Units | Status | Qualifiers |
|------------------|------|-------|-------|--------|------------|
| | PPB | PPB | PPB | | |
| B1 | 0.50 | | ND | Tested | L1 R1 M2 |
| B2 | 0.50 | | ND | Tested | R1 M2 |
| G1 | 0.50 | | ND | Tested | M2 |
| G2 | 0.50 | | ND | Tested | L1 R1 M2 |
| Ochratoxin A | 0.50 | 20.00 | ND | Pass | R1 M2 |
| Total Aflatoxins | 0.50 | 20.00 | ND | Pass | L1 R1 M2 |

Qualifiers: L1 R1 M1 M2 V1

Date Tested: 03/14/2023

Decision Rule: This Pass/Fail Result is in conformance with the qualifying specifications (L1 R1 M1 M2 V1), described and set in guidelines A.A.C. 9 A.A.C. 17, effective September 7, 2021.

SOP-138; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported. The data on this report is for informational purposes only. Accredited to Standard ISO/IEC 17025:2017 by PJLA #89963 for Testing.

