



Mango THC Seltzer


Legally Highest
MME ID: TNHDC251657 -
Ingestible, Beverage

Sample: DIGP2512.1347.I.06629

Sample Date: 12/08/2025 Report Date: 12/18/2025
METRC Sample:
Batch #: M12

Potency Test Results

Cannabinoid Test Results

	61.490 mg/unit	<LOQ
	Total Potential THC	Total Potential CBD
	61.490 Total THC / 1 unit	<LOQ Total CBD / 1 unit
	THC/Unit	CBD/Unit

1 Unit = 1 unit, 473g

Analyte	LOQ %	Mass mg/unit	Mass %
THCa	0.0040	<LOQ	<LOQ
Δ9-THC	0.0030	61.490	0.0130
Δ8-THC	0.0400	<LOQ	<LOQ
THCV	0.0610	<LOQ	<LOQ
CBDa	0.0040	<LOQ	<LOQ
CBD	0.0140	<LOQ	<LOQ
CBDV	0.0040	<LOQ	<LOQ
CBN	0.0030	<LOQ	<LOQ
CBGa	0.0140	<LOQ	<LOQ
CBG	0.0140	<LOQ	<LOQ
CBC	0.0030	<LOQ	<LOQ
Total		61.490	0.0130

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

Terpene Test Results

Analyte	CAS No.	LOQ %	Mass %	Mass mg/g
α-Bisabolol	23089-26-1	0.0037	<LOQ	<LOQ
α-Humulene	6753-98-6	0.0059	<LOQ	<LOQ
α-Pinene	80-56-8	0.0032	<LOQ	<LOQ
α-Terpinene	99-86-5	0.0036	<LOQ	<LOQ
β-Caryophyllene	87-44-5	0.0053	<LOQ	<LOQ
β-Myrcene	123-35-3	0.0091	<LOQ	<LOQ
β-Pinene	18172-67-3	0.0164	<LOQ	<LOQ
Camphene	79-92-5	0.0068	<LOQ	<LOQ
Caryophyllene Oxide	1139-30-6	0.0039	<LOQ	<LOQ
δ-3-Carene	13466-78-9	0.0046	<LOQ	<LOQ
δ-Limonene	5989-27-5	0.0040	<LOQ	<LOQ
Eucalyptol	470-82-6	0.0053	<LOQ	<LOQ
Farnesene	502-61-4	0.0350	<LOQ	<LOQ
γ-Terpinene	99-85-4	0.0037	<LOQ	<LOQ
Geraniol	106-24-1	0.0050	<LOQ	<LOQ
Guaiol	489-86-1	0.0050	<LOQ	<LOQ
Isopulegol	89-79-2	0.0035	<LOQ	<LOQ
Linalool	78-70-6	0.0019	<LOQ	<LOQ
Ocimene	13877-91-3	0.0083	<LOQ	<LOQ
p-Cymene	99-87-6	0.0043	<LOQ	<LOQ
Terpinolene	586-62-9	0.0060	<LOQ	<LOQ
Nerolidol	7212-44-4	0.0106	<LOQ	<LOQ
Total			0.0000	0

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantitation. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Complete	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Pass
		Result	3.75 ph
		Limit	4.60 ph

I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

Scan to View Results



Accreditation #99721

Sherri Defreece

Sherri Defreece
Scientific Director

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.



Mango THC Seltzer

Legally Highest
MME ID: TNHDC251657 -
Ingestible, Beverage

Sample: DIGP2512.1347.I.06629

Sample Date: 12/08/2025 Report Date: 12/18/2025
METRC Sample:
Batch #: M12

Pesticides

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Microbials

Complete

Analyte	LOQ	Limit	Units	Status
Aerobic Bacteria	100	CFU/g	CFU/g	Tested
Bile-Tolerant Gram-Negative Bacteria	100	CFU/g	<100	Tested
Coliforms	100		NR	NT
Yeast & Mold	100		NR	NT
Powdery Mildew			NR	NT
STEC E. coli			Negative	Tested
Salmonella			Negative	Tested
Aspergillus niger			NR	NT
Aspergillus flavus			NR	NT
Aspergillus fumigatus			NR	NT
Aspergillus terreus			NR	NT

NR = Not Reported; NT = Not Tested; TNTC = Too Numerous to Count > 10x Limit; Analyzed per Digipath Labs SOP-373, SOP-376, and/or SOP-377 with BioRad CFX96 Touch Deep Well Real-Time PCR, SOP-351 using 3M parafilm and/or Compact Dry Hardy Plates.

Mycotoxins

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Solvents

Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Heavy Metals

Not Tested

Analyte	LOQ	Limit	Units	Status
---------	-----	-------	-------	--------



Accreditation #99721

Sherri Defreese

Sherri Defreese
Scientific Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.